

JEE Main – 2023

25th JAN 2023 (Evening Shift)

General Instructions

1. The test is of **3 hours** duration and the maximum marks is **300**.
2. The question paper consists of **3 Parts** (Part I: **Physics**, Part II: **Chemistry**, Part III: **Mathematics**). Each Part has **two** sections (Section 1 & Section 2).
3. **Section 1** contains **20 Multiple Choice Questions**. Each question has 4 choices (1), (2), (3) and (4), out of which **ONLY ONE CHOICE** is correct.
4. **Section 2** contains **10 Numerical Value Type Questions** Out of which **ONLY 5 (any)** questions have to be attempted. You will **NOT** be allowed to attempt the sixth question. If you wish to attempt any other question apart from the five already attempted, then you will have to delete any one response from the five previously answered and then proceed to answer the new one.
The answer to each question should be **rounded off to the nearest integer**.
5. No candidate is allowed to carry any textual material, printed or written, bits of papers, pager, mobile phone, any electronic device, etc. inside the examination room/hall.

Marking Scheme

1. **Section – 1:** +4 for correct answer, –1 (negative marking) for incorrect answer, 0 for all other cases.
2. **Section – 2:** +4 for correct answer, –1 (negative marking) for incorrect answer, 0 for all other cases.

SECTION-1

This section contains 20 Multiple Choice Questions. Each question has 4 choices (1), (2), (3) and (4), out of which **ONLY ONE CHOICE** is correct.

- The resistance of a wire is . It's new resistance in ohm if stretched to 5 times of it's original length will be:
 (1) 125 (2) 25 (3) 625 (4) 5
- A point of is placed at the origin. At what location on the x -axis should a point charge of be placed so that the net electric field is zero at on the x -axis?
 (1) (2) (3) (4)
- According to law of equipartition of energy the molar specific heat of a diatomic gas at constant volume where the molecule has one additional vibrational mode is:
 (1) (2) (3) (4)
- Two objects are projected with same velocity ' u ' however at different angles and with the horizontal. If , the ratio of horizontal range of the first object to the 2nd object will be:
 (1) 1 : 2 (2) 4 : 1 (3) 2 : 1 (4) 1 : 1
- Match List I with List II.

List I		List II	
A.	Gauss's Law in Electrostatics	I.	
B.	Faraday's Law	II.	
C.	Guass's Law in Magnetism	III.	
D.	Ampere-Maxwell Law	IV.	

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II (2) A-II, B-III, C-IV, D-I
 (3) A-I, B-II, C-III, D-IV (4) A-IV, B-I, C-II, D-III
- A wire of length $1m$ moving with velocity $8m/s$ at right angles to a magnetic field of $2T$. The magnitude of induced emf, between the ends of wire will be _____.
 (1) 16V (2) 12V (3) 8V (4) 20V
- For a moving coil galvanometer, the deflection in the coil is 0.05 rad when a current of $10mA$ is passed through it. If the torsional constant of suspension wire is , the magnetic field is $0.01T$ and the number of turns in the coil is 200, the area of each turn is:
 (1) 2.0 (2) 1.0 (3) 0.5 (4) 1.5
- The distance travelled by a particle is related to time t as . The velocity of the particle at $t = 5s$ is:
 (1) (2) (3) (4)

9. A particle executes simple harmonic motion between $x = 0$ and $x = 10$ cm. If time taken by particle to go from $x = 0$ to $x = 5$ cm is 2 s; then time taken by particle in going from $x = 5$ cm to $x = 10$ cm is:

- (1) $2s$ (2) $4s$ (3) $1.5s$ (4) $3s$

10. Every planet revolves around the sun in an elliptical orbit:

- A. The force acting on a planet is inversely proportional to square of distance from sun.
 B. Force acting on planet is inversely proportional to product of the masses of the planet and the sun.
 C. The centripetal force acting on the planet is directed away from the sun.
 D. The square of time period of revolution of planet around sun is directly proportional to cube of semi-major axis of elliptical orbit.

Choose the correct answer from the options given below:

- (1) A and C only (2) C and D only (3) B and C only (4) A and D only

11. **Statement I:** When a Si sample is doped with Boron, it becomes P type and when doped by Arsenic it becomes N -type semi-conductor such that P -type has excess holes and N -type has excess electrons.

Statement II: When such P -type and N -type semi-conductors, are fused to make a junction, a current will automatically flow which can be detected with an externally connected ammeter.

- (1) Both Statement I and statement II are correct.
 (2) Both Statement I and statement II are incorrect.
 (3) Statement I is correct but statement II is incorrect.
 (4) Statement I is incorrect but statement II is correct.

12. Match List I with List II.

List I		List II	
A.	Isothermal Process.	I.	Work done by the gas decreases internal energy.
B.	Adiabatic Process.	II.	No change in internal energy.
C.	Isochoric Process	III.	The heat absorbed goes partly to increase internal energy and partly to do work.
D.	Isobaric Process.	IV.	No work is done on or by the gas.

Choose the correct answer from the option given below:

- (1) A-II, B-I, C-IV, D-III (2) A-I, B-II, C-IV, D-III
 (3) A-I, B-II, C-III, D-IV (4) A-II, B-I, C-III, D-IV

13. Match List I with List II.

List I		List II	
A.	Young's Modulus (Y)	I.	
B.	Adiabatic Process.	II.	
C.	Isochoric Process	III.	
D.	Isobaric Process.	IV.	

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-II, D-IV (2) A-I, B-III, C-IV, D-II
 (3) A-II, B-III, C-IV, D-I (4) A-I, B-II, C-III, D-IV



14. The light rays from an object have been reflected towards an observer from a standard flat mirror, the image observed by the observer are:

A. Real B. Erect
C. Smaller in size than object D. Laterally inverted

Choose the most appropriate answer from the options given below:

- (1) A, C and D only (2) B and C only
(3) B and D only (4) A and D only


15. Match List I with List II.

List I		List II	
A.	Troposphere	I.	Approximate 65-75 km over Earth's surface.
B.	E-Part of Stratosphere	II.	Approximate 300 km over Earth's surface.
C.	- Part of Thermosphere	III.	Approximate 10 km over Earth's surface.
D.	D- Part of Stratosphere	IV.	Approximate 100 km over Earth's surface.

Choose the correct answer from the options given below:


- (1) A-III, B-II, C-I, D-IV (2) A-I, B-II, C-IV, D-III
(3) A-I, B-IV, C-III, D-II (4) A-III, B-IV, C-II, D-I

16. The graph between two temperature scales P and Q is shown in the figure, between upper fixed point and lower fixed point there are 150 equal divisions of scale P and 100 divisions on scale Q . The relationship for conversion between the two scales is given by:



- (1) (2)
(3) (4)


17. The energy levels of an atom is shown in figure.



Which one of these transitions will result in the emission of a photon of wavelength 124.1 nm ?

Given

- (1) A (2) B (3) D (4) C



18. Given below are two statements:


Statement I: Stopping potential in photoelectric effect does not depend on the power of the light source.

Statement II: For a given metal, the maximum kinetic energy of the photoelectron depends on the wavelength of the incident light.

In the light of above statements, choose the most appropriate answer form the options given below.

- (1) Statement I is incorrect but statement II is correct.
- (2) Both Statement I and statement II are incorrect.
- (3) Statement I is correct but statement II is incorrect.
- (4) Both Statement I and statement II are correct.

19. Consider a block kept on an inclined plane (inclined at 45°) as shown in the figure. If the force required to just push it up the incline is 2 times the force required to just prevent it from sliding down, the coefficient of friction between the block and inclined plane is equal to:



- (1) 0.50
- (2) 0.33
- (3) 0.25
- (4) 0.60

20. A body of mass is taken from earth surface to the height h equal to twice the radius of earth, the increase in potential energy will be:


(g = acceleration due to gravity on the surface of Earth)

- (1)
- (2)
- (3)
- (4)

SECTION-2

Section 2 contains 10 Numerical Value Type Questions Out of which ONLY 5 (any) questions have to be attempted. The answer to each question should be rounded off to the nearest integer.

21. A capacitor has capacitance _____ when it's parallel plates are separated by air medium of thickness d . A slab of material of dielectric constant 1.5 having area equal to that of plates but thickness _____ is inserted between the plates. Capacitance of the capacitor in the presence of slab will be: _____
22. If a solid sphere of mass 5 kg and a disc of mass 4 kg have the same radius. Then the radius of moment of inertia of the disc about a tangent in its plane to the moment of inertia of the sphere about its tangent will be _____. The value of x is _____.
23. A train blowing a whistle of frequency 320 Hz approaches an observer standing on the platform at a speed of 66 m/s . The frequency observed by the observer will be (given speed of sound _____) _____ Hz.
24. A spherical drop of liquid splits into 1000 identical spherical drops. If _____ is the surface energy of the original drop and _____ is the total surface energy of the resulting drops, the (ignoring evaporation), _____ . Then value of x is _____.
25. A body of mass 1 kg collides head on elastically with a stationary body of mass 3 kg . After collision, the smaller body reverse its direction of motion and moves with a speed of 2 m/s . The initial speed of the smaller body before collision is _____.
26. Two cells are connected between points A and B as shown. Cell 1 has emf of 12 V and internal resistance of _____. Cell 2 has emf of 6 V and internal resistance of _____. An external resistor R of _____ is connected across A and B . The current flowing through R will be _____ A.



27. Two long parallel wires carrying currents 8 A and 15 A in opposite directions are placed at a distance of 7 cm from each other. A point P is at equidistant from both the wires such that the lines joining the point P to the wires are perpendicular to each other. The magnitude of magnetic field at P is _____.
28. A series LCR circuit is connected to an AC source of 220 V , 50 Hz . The circuit contains a resistance _____, and inductor of inductive reactance _____ and a capacitor of capacitive reactance _____. The power factor of circuit is _____. The value of x is: _____.
29. A nucleus disintegrates into two smaller parts, which have their velocities in the ratio _____. The ratio of their nuclear sizes will be _____. The value of ' x ' is: _____.

-
30. An object is placed on the principal axis of convex lens of focal length 10cm as shown. A plane mirror is placed on the other side of lens at a distance of 20cm . The image produced by the plane mirror is 5cm inside the mirror. The distance of the object from the lens is _____ cm .


SECTION-1

This section contains 20 Multiple Choice Questions. Each question has 4 choices (1), (2), (3) and (4), out of which **ONLY ONE CHOICE** is correct.

1. A. Ammonium salts produce haze in atmosphere.
 B. Ozone gets produced when atmospheric oxygen reacts with chlorine radicals.
 C. Polychlorinated biphenyls act as cleansing solvents.
 D. 'Blue baby' syndrome occurs due to the presence of excess of sulphate ions in water.

Choose the correct answer from the options given below:

- (1) B and C only (2) A and D only (3) A and C only (4) A, B and C only
2. 'A' in the given reaction is:



3. Given below are two statements, one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: Butylated hydroxy anisole when added to butter increase its shelf life.

Reason R: Butylated hydroxy anisole is more reactive towards oxygen than food.

- (1) A is correct but R is not correct.
 (2) Both A and R are correct and R is the correct explanation of A.
 (3) A is not correct but R is correct.
 (4) Both A and R are correct but R is NOT the correct explanation of A.
4. Which of the following represents the correct order of metallic character of the given elements?
- (1) _____ (2) _____
 (3) _____ (4) _____
5. **Statement I:** Dipole moment is a vector quantity and by convention it is depicted by a small arrow with tail on the negative centre and head pointing towards the positive centre.
Statement II: The crossed arrow of the dipole moment symbolizes the direction of the shift of charges in the molecules.
- In the light of the above statements, choose the most appropriate answer from the options given below:
- (1) Statement I is incorrect but statement II is correct.
 (2) Statement I is correct but statement II is incorrect.
 (3) Both Statement I and statement II are incorrect.
 (4) Both Statement I and statement II are correct.

6. Match List I with List II.

List I		List II	
A.	Cobalt catalyst	I.	production
B.	Syngas	II.	Water gas production
C.	Nickel catalyst	III.	Coal gasification
D.	Brine solution	IV.	Methanol production

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III (2) A-IV, B-III, C-I, D-II
(3) A-IV, B-III, C-II, D-I (4) A-II, B-III, C-IV, D-I

7. A chloride salt solution acidified with _____ gives a curdy white precipitate, [A], on addition of _____ on treatment with _____ gives a clear solution, B. A and B are respectively.

- (1) _____ (2) _____
(3) _____ (4) _____

8. The isomeric deuterated bromide with molecular formula _____ having two chiral carbon atoms is:

- (1) 2 – Bromo – 3 – deuterobutane
(2) 2 – Bromo – 2 – deuterobutane
(3) 2 – Bromo – 1 – deuterobutane
(4) 2 – Bromo – 1 – deuterio – 2 – methylpropane

9. Which one among the following metals is the weakest reducing agent?

- (1) Na (2) Rb (3) K (4) Li

10. What is the mass ratio of ethylene glycol _____ required for making 500 g of 0.25 molal aqueous solution and 250 mL of 0.25 molal aqueous solution?

- (1) 1 : 2 (2) 2 : 1 (3) 3 : 1 (4) 1 : 1

11. Potassium dichromate acts as a strong oxidizing agent in acidic solution. During this process, the oxidation state changes from.

- (1) _____ (2) _____ (3) _____ (4) _____

12. Given below are two statements:

Statement I: In froth floatation method a rotating paddle agitates the mixture to drive air out of it.

Statement II: Iron pyrites are generally avoided for extraction of iron due to environmental reasons.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true.
(2) Both Statement I and Statement II are false.
(3) Statement I is true but Statement II is false.
(4) Both Statement I and statement II are true.

13. Given below are two statements, one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: The alkali metals and their salts impart characteristic colour to reducing flame.

Reason R: Alkali metals can be detected using flame tests.

In the light of the above statements, choose the most appropriate answer from the options given below.

- (1) Both A and R are correct but R is NOT the correct explanation of A.
(2) Both A and R are correct and R is the correct explanation of A.
(3) A is not correct but R is correct.
(4) A is correct but R is not correct.


14. Match List I with List II.

List I		List II	
A.	Glyptal	I.	Flexible pipes
B.	Neoprene	II.	Synthetic wool
C.	Acrlan	III.	Paints and Lacquers
D.	LDP	IV.	Gaskets

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II (2) A-III, B-II, C-IV, D-I
 (3) A-III, B-IV, C-I, D-II (4) A-III, B-IV, C-II, D-I

15. Find out the major product from the following reaction.



16. Match List I with List II.

List I		List II	
Isomeric pairs		Type of isomers	
A.	Propanamine and N-Methylethanamine	I.	Metamers
B.	Hexan-2-one and Hexan-3-one	II.	Positional isomers
C.	Ethanamide and Hydroxyethanimine	III.	Functional isomers
D.	o-nitrophenol and p-nitrophenol	IV.	Tautomers

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-I, D-II (2) A-III, B-I, C-IV, D-II
 (3) A-II, B-III, C-I, D-IV (4) A-III, B-IV, C-I, D-II

17. Given below are two statements, one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: Carbon forms two important oxides – CO and _____ is neutral whereas _____ is acidic in nature.

Reason A: _____ can combine with water in a limited way to form carbonic acid, while CO is sparingly soluble in water.

In the light of the above statements, choose the most appropriate answer from the options given below.

- (1) A is correct but R is not correct.
 (2) A is not correct but R is correct.
 (3) Both A and R are correct but R is NOT the correct explanation of A.
 (4) Both A and R are correct and R is the correct explanation of A.

18. Match List I with List II.

List I (Amines)		List II	
A.	Aniline	I.	3.25
B.	Ethanamine	II.	3.00
C.	N-Ethylethanamine	III.	9.38
D.	N, N-Diethylethanamine	IV.	3.29

Choose the correct answer from the options given below:

- (1) A-I, B-IV, C-II, D-II (2) A-III, B-II, C-I, D-IV
(3) A-III, B-II, C-IV, D-I (4) A-III, B-IV, C-II, D-I

19. Match List I with List II.

List I (Amines)		List II	
A.		I.	310
B.		II.	475
C.		III.	535
D.		IV.	600

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV (2) A-IV, B-I, C-III, D-II
(3) A-III, B-I, C-II, D-IV (4) A-II, B-III, C-IV, D-I

20. When the hydrogen ion concentration changes by a factor of 1000, the value of pH of the solution

- _____.
- (1) Increases by 2 units (2) Increases by 1000 units
(3) Decreases by 2 units (4) Decreases by 3 units

SECTION-2

Section 2 contains 10 Numerical Value Type Questions Out of which ONLY 5 (any) questions have to be attempted. The answer to each question should be rounded off to the nearest integer.

21. Total number of moles of AgCl precipitated on addition of excess of _____ to one mole each of the following complexes _____ and _____

is:

22. The number of **incorrect** statement/s from the following is/are _____.

- A. Water vapours are adsorbed by anhydrous calcium chloride.
- B. There is a decrease in surface energy during adsorption.
- C. As the adsorption proceeds, _____ becomes more and more negative.
- D. Adsorption is accompanied by decrease in entropy of the system.

23. The number of given orbitals which have electron density along the axis is _____.

24. A first order reaction has the rate constant, _____. The number of correct statement/s from the following is/are _____.

Given: $\log 3 = 0.48$


- A. Reaction completes in 1000 s.
- B. The reaction has a half-life of 500 s.
- C. The time required for 10% completion is 25 times the time required for 90% completion.
- D. The degree of dissociation is equal to _____.
- E. The rate and the rate constant have the same unit.

25. _____.

The _____ for the given cell is 0.1115 V at 298 K when _____. The value of a is _____.


Given: _____.

26. Based on the given figure, the number of **correct** statement/s is/are _____.



- A. Surface tension is the outcome of equal attractive and repulsive forces acting on the liquid molecule in bulk.
- B. Surface tension is due to uneven forces acting on the molecules present on the surface.
- C. The molecule in the bulk can never come to the liquid surface.
- D. The molecule on the surface are responsible for vapour pressure if the system is a closed system.

27. Number of hydrogen atoms per molecule of a hydrocarbon A having 85.8% carbon is _____.
(Given: Molar mass of _____).
28. The number of pairs of the solutions having the same value of the osmotic pressure from the following is _____.
A. _____
B. _____
C. _____
D. _____
E. _____
29. Number of compounds giving (i) red colouration with ceric ammonium nitrate and also (ii) positive iodoform test from the following is _____.



30. 28.0 L of _____ is produced on complete combustion of 16.8 L gaseous mixture of ethene and methane at 25°C and 1 atm. Heat evolved during the combustion process is _____ kJ.
Given: _____

SECTION-1

This section contains 20 Multiple Choice Questions. Each question has 4 choices (1), (2), (3) and (4), out of which ONLY ONE CHOICE is correct.

1. The foot of perpendicular of the point _____ on the line _____ is _____. Then, which of the following is NOT correct?

(1) _____ (2) _____ (3) _____ (4) _____

2. Let _____ and _____. Then _____ is equal to:

(1) _____ (2) _____ (3) _____ (4) _____

3. If the four points, whose position vectors are _____ and _____ are coplanar, then _____ is equal to:

(1) _____ (2) _____ (3) _____ (4) _____

4. The equations of two sides of a variable triangle are _____ and _____, and its third side is a tangent to the parabola _____. The locus of its circumcentre is:

(1) _____ (2) _____

(3) _____ (4) _____

5. The shortest distance between the lines _____ and _____ is:

(1) 3 (2) _____ (3) 2 (4) _____

6. Let _____ and _____. Then the sum of all the positive integer divisors of _____ is:

(1) 59 (2) 58 (3) 60 (4) 61

7. The integer _____ is equal to:

(1) _____ (2) _____ (3) _____ (4) _____

8. Let _____ be a solution of the differential equation.

Where, _____ and _____. Then _____.

(1) 1 (2) does not exist (3) is -1 (4) is 0

9. Let T and C respectively be the transverse and conjugate axes of the hyperbola $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$. Then the area of the region above the parabola $y = x^2$, below the transverse axis T and on the right of the conjugate axis C is:
- (1) $\frac{ab}{2}$ (2) $\frac{ab}{4}$ (3) $\frac{ab}{8}$ (4) $\frac{ab}{16}$
10. Let $\sin^{-1} x + \sin^{-1} y + \sin^{-1} z = \frac{\pi}{2}$ be such that $x^2 + y^2 + z^2 = 1$ is a tautology. Then
- (1) $x = y = z = \frac{1}{\sqrt{3}}$ (2) $x = y = z = \frac{1}{2}$ (3) $x = y = z = \frac{1}{4}$ (4) $x = y = z = \frac{1}{8}$
11. If the function $f(x) = \frac{1}{x^2} \int_0^x t^2 \sin t \, dt$ is continuous at $x = 0$, then $\lim_{x \rightarrow 0} f(x)$ is equal to:
- (1) $\frac{1}{6}$ (2) $\frac{1}{10}$ (3) $\frac{1}{11}$ (4) $\frac{1}{8}$
12. $\lim_{x \rightarrow 0} \frac{1 - \cos x}{x^2}$ is equal to:
- (1) $\frac{1}{2}$ (2) $\frac{1}{4}$ (3) $\frac{1}{6}$ (4) $\frac{1}{8}$
13. The number of functions $f: \{1, 2, 3, 4\} \rightarrow \{1, 2, 3, 4\}$ satisfying $f(x) \neq x$ is:
- (1) 3 (2) 1 (3) 2 (4) 4
14. Let $f(x) = \frac{1}{x}$ be a function defined by $f(x) = \frac{1}{x}$, for some m , such that the range of f is $[0, 2]$. Then the value of m is _____.
- (1) 5 (2) 2 (3) 3 (4) 4
15. Let A, B, C be 3×3 matrices such that A is symmetric and B and C are skew-symmetric. Consider the statements.
- S1: $A + B$ is symmetric.
- S2: $A + C$ is symmetric.
- Then,
- (1) Only S2 is true (2) Both S1 and S2 are false
- (3) Only S1 is true (4) Both S1 and S2 are true

-
16. Let the function $f(x) = x^3 + px^2 + qx + r$ have a maxima for some value of x and a minima for some value of x . Then, the set of all values of p is:
- (1) $[-1, 1]$ (2) $[-2, 2]$ (3) $[-3, 3]$ (4) $[-4, 4]$
17. Let N be the sum of the numbers appeared when two fair dice are rolled and let the probability that N is in geometric progression be $\frac{1}{8}$. Then the value of k is:
- (1) 8 (2) 4 (3) 16 (4) 2
18. Let $A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$ and $B = \begin{bmatrix} 4 & 3 \\ 2 & 1 \end{bmatrix}$, where A, B are matrices. If $C = A^{-1}B$, then the inverse of the matrix C is:
- (1) $\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$ (2) $\begin{bmatrix} 4 & 3 \\ 2 & 1 \end{bmatrix}$
- (3) $\begin{bmatrix} 4 & 2 \\ 3 & 1 \end{bmatrix}$ (4) $\begin{bmatrix} 2 & 3 \\ 1 & 4 \end{bmatrix}$
19. Let z be a complex number such that $|z| = 2$. Then z lies on the circle of radius 2 and centre.
- (1) $(0, 0)$ (2) $(1, 1)$ (3) $(-1, -1)$ (4) $(2, 2)$
20. The number of numbers, strictly between 5000 and 10000 can be formed using the digit 1,3,5,7,9 without repetition, is:
- (1) 6 (2) 12 (3) 72 (4) 120

SECTION-2

Section 2 contains 10 Numerical Value Type Questions Out of which ONLY 5 (any) questions have to be attempted. The answer to each question should be **rounded off to the nearest integer**.

21. A triangle is formed by x -axis, y -axis and the line . Then the number of points which lie strictly inside the triangle, where a is an integer and b is a multiple of a , is _____.
22. The remainder when is divided by 35 is _____.
23. If the shortest distance between the line joining the points and , and the line is , then is equal to _____.
24. If , where m and n are coprime natural numbers, then is equal to _____.
25. Suppose Anil's mother wants to give 5 whole fruits to Anil from a basket of red apples, 5 white apples and 8 oranges. If in the selected 5 fruits, at least 2 oranges, at least one red apple and at least one white apple must be given, then the number of ways, Anil's mother can offer 5 fruits to Anil is _____.
26. For the two positive numbers a, b , if a, b and are in a geometric progression, while and are in an arithmetic progression, then is equal to _____.
27. Points and lie on a circle C with PR , as its diameter. The tangents to C at the points Q and R intersect at the point S . If S lies on the line , then k is equal to:
28. If m and n respectively are the numbers of positive and negative values of in the interval that satisfy the equation , then mn is equal to _____.
29. 25% of the population are smokers. A smoker has 27 times more chances to develop lung cancer than a non smoker. A person is diagnosed with lung cancer and the probability that this person is a smoker is . Then the value of k is _____.
30. Let and let be the roots of the equation . If , then the product of all possible values of a is _____.